



Scan this code to learn more about TAMKO's full line of professional products.



P.O. Box 1404 Joplin, MO 64802-1404 1-800-641-4691 • tamko.com









SHINGLES



RAILING



BUILDING PRODUCTS FOR THE PROFESSIONAL.

Since 1944, TAMKO® has been producing building products for the professional. Our complete line of roofing and decking products is designed to offer contractors a competitive advantage of beauty and performance.

TAMKO provides the products you need to give home and business owners the look they want. It's a reputation we've worked hard to build since 1944. Our professional-grade materials offer professional-grade results—and that's what matters most at every phase of your project.





Roofing Products Intro & Cut/Color/Coverage Pages 3-4



Heritage® Vintage® Laminated Asphalt Shingles Pages 5-6



Heritage® Woodgate® Laminated Asphalt Shingles Pages 7-8



Heritage® Premium Laminated Asphalt Shingles Pages 9-10



Heritage® IR
Laminated Asphalt Shingles
Pages 11–12



Elite Glass-Seal® & Glass-Seal 3-tab Shingles



MetalWorks® Steel Shingles Pages 17-18

Pages 15-16



Complete Roof Performance Pages 19-20



Starter, Hip & Ridge and Ventilation Pages 21-22



Underlayments Page 23



Asbestos-Free Cements & Coatings Page 24



Waterproofing Pages 25-26



Decking & Railing Products Intro/ T.R.U.E. Pages 27-28



EverGrain® Envision® Composite Decking Pages 29-30



EverGrain® Composite Decking Pages 31-32



Tam-Rail®/ColorCast™ Pages 33-34



Marquee Railing® System Pages 35-36



Locations/Contact Info/ Sales Resources Pages 37-38




TAMKO® OFFERS A POWERFUL COMBINATION OF CUT, COLOR AND COVERAGE.


Give home and business owners the dramatic aesthetics, protection and performance they desire in a roof.

A full palette of distinctive choices Cut Dynamic Cuts for Added Dimension and protection TAMKO's complete lineup of shingles adds a striking new dimension to Discover a full range of versatile colors Beyond beauty, home and business owners complement the look of any customer's home. to give customers the look they want. want a product that provides excellent All TAMKO® shingles feature striking • Heritage® Series shingles replicate the natural aesthetics of wood shakes protection. That's why contractors choose color palettes that range from classic to TAMKO—because they know TAMKO roofing • MetalWorks® steel shingles are built for performance and offer three dramatic contemporary to dramatically bold. products offer professional-grade performance. looks—slate, tile and wood • Elite Glass-Seal® and Glass-Seal shingles are economical and reliable In 1995, TAMKO introduced vibrant tones Longest Up-front Protection Available¹ to the roofing industry with the launch of Heritage Series shingles come with a Limited America's Natural Colors.® Warranty² with the longest up-front protection available¹. It's not the length of the limited Elite Glass-Seal® & warranty that matters most— Heritage® Vintage® Astonwood it's the length of the Full Start TAMKO Heritage® period. With their 15- to 20-year shingles offer a Full Start period, Heritage Series unique granule shingles offer the longest up-front mix and distinct protection¹ vs. competitors. color drops. Complete Roof Performance To further enhance roof performance, TAMKO offers many additional products to help protect homes from the elements. StoneCrest® Slate Heritage® Woodgate® TAMKO's Complete Roof Performance Product Line 1 Ice & Rain Protective 5 Underlayments 2 Underlayments MetalWorks shingles **3** Shingle Starter offer ENERGY STAR® qualified "cool colors." 4 Cements & Sealants 5 Heritage® Shingle Options **6** Ventilation Heritage® Premium, 7 Hip & Ridge Shingles Heritage® and Heritage® IR

Information included in this brochure was current at the time of printing. To obtain a copy of the most current version of this brochure, visit us online at tamko.com or call us at 1-800-641-4691.

To obtain a copy of TAMKO's Limited Warranty, visit us online at tamko.com or call us at 1-800-641-4691.





MAKE THE MOST OF BEAUTY AND PROTECTION.

Heritage® Premium shingles offer natural beauty, extensive color choices¹ and the maximum standard Limited Warranty coverage available within the Heritage Series. The shingles' rich Shadowtone granule blend replicates a natural wood-shake

look with a 50-year Limited Warranty² and a 20-year Full Start Protection Period. Heritage Premium shingles also come with a 10-year Algae-Relief— Algae Cleaning Limited Warranty³.




shingles offer the longest up-front protection available!

Use the calculator at tamko.com/ to compare the value

- ¹ Colors may vary across TAMKO roofing products. Certain colors and products may not be available in your area. Please reference TAMKO's color chart, visit us online at tamko.com or contact TAMKO for further information.
- ²To obtain a copy of the Limited Warranty, visit us online at tamko.com or call us at 1-800-641-4691.
- ³Provides for cleaning of discoloration caused by certain algae growth. See Limited Warranty
- ⁴Information included in this brochure was current at the time of printing. To obtain a copy of the most current version of this brochure, visit us online at tamko.com or call us at 1-800-641-4691. Note: TAMKO recommends viewing an actual roof installation prior to final color selection for the full impact of color blending and patterns. Reproduction of these colors is as accurate as

our printing will permit.





















TAMKO® Cements and Coatings



TAMKO® Tam-Seal Roof Patch Sealant Cartridge

ASTM D 6083



The TAM-PRO® and TAMKO® lines of Asbestos-Free Cements and Coatings are formulated for performance and ease of application. TAM-STAR and TAM-GUARD Asbestos-Free White Elastomeric Coatings help protect from harmful ultraviolet and infrared radiation, and their highly reflective surfaces may help enhance a building's savings on cooling costs. The TAM-STAR coating is an

ENERGY STAR® product¹. Both TAM-STAR and TAM-GUARD coatings are CRRC rated². RATED

¹ When installed properly, this product may help reduce cooling costs. Actual savings, if any, will vary based on geographical location and individual building characteristics. Consult your product manufacturer, roofing contractor or call 1-888-STAR-YES (1-888-782-7937) for more information. ENERGY STAR* only valid in the U.S.


²CRRC only valid in the U.S.

TAMKO® offers a complete line of synthetic, fiberglass-reinforced and organic roofing underlayments for use prior to the application of shingles. Tam-Shield® and Synthetic Shield Underlayments are lightweight, mechanically fastened, synthetic options. Self-adhering TW Metal & Tile Underlayment helps provide secondary protection against water penetration after installation of a metal roofing system. And self-adhering Moisture Guard Plus® helps prevent damage from ice damming and windblown rain. TAMKO SA Base & Cap, SuperX[™] underlayments and saturated organic felt options are also available. IMPORTANT: Follow all proper fall protection procedures in accordance with OSHA regulatory requirements—including the use of personal fall protection devices when working on a roof. Applicator safety is of utmost importance. TAMKO's MSDS states that personal protection devices including, without limitation, gloves should be utilized when installing TAMKO products that contain asphalt.

Tam-Shield® Synthetic Underlayment

MORE OPTIONS FOR STARTING YOUR

ROOFING APPLICATION RIGHT.



TW Metal & Tile

Underlayment





Asbestos-Free Cements & Coatings



WATERPROOFING



PROVEN WATERPROOFING PROTECTION WHERE IT'S NEEDED MOST.

TAMKO® SBS-modified waterproofing products feature peel-and-stick application for ease of use and excellent adhesion for outstanding protection. Options are available both for above- and below-grade applications. TW-60 is a flexible sheet waterproofing membrane that is well-suited for below-grade applications such as foundation walls and ICF forms as well as above-grade applications including breezeways and balconies. TW Window & Door Flash membrane is well-suited for above-grade applications to help seal window and door perimeters.



Ideal for above-grade uses on balcony and breezeway construction projects.

TAMKO's MSDS states that personal protection devices including, without limitation, gloves should be utilized when installing TAMKO products that contain asphalt.















T. is for True. The unique color variations of each EverGrain® Envision® deck board work together to produce a harmonious look with natural depth and dimension.







R. is for Random. EverGrain's random grain patterns never repeat across a single deck board. The leading competitor's pattern repeats every 37-3/8 inches. That's up to 5 times on each 16 ft. board.




U. is for Unique deep grains.

Character comes from within. With EverGrain, that means putting grains deep down into the board. The result is the authentic look of real wood.





E. is for Exclusive. EverGrain's exclusive compression molding process offers a deeper grain and the random look of real wood.





See the distinctly T.R.U.E. look of EverGrain for yourself at EverGrain.com.

Made with the same dramatic deep grain beauty¹ and performance-enhancing core materials as EverGrain® Composite Decking, EverGrain® Envision® features an added layer of protection, bonded in the compression process, for low maintenance² and resistance to delamination. The outer layer of EverGrain Envision is also specially formulated to create a low-sheen appearance for more natural 5-YEAR
FULL START PERIOD wood beauty. The product comes with a 20-year Limited Warranty², including

¹ Before making your purchase, view several full-length boards. Representation of these colors is as accurate as modern technology will permit. As with any composite product, color variations will occur. View several full-length pieces of material prior to final color selection and installation. Colors will usually weather to a lighter shade within the first several months of exposure to the environment.

² To obtain a copy of the most current version of this brochure, the care and cleaning instructions

a 5-year Full Start Period and a 20-year Stain Resistance Limited Warranty.

for details on required maintenance, the Limited Warranty and/or the product installation instructions, visit tamko.com or call 1-800-641-4691. ³ Colors may vary. Certain colors and products may not be available in your area. Please reference

TAMKO's color chart, visit us online at tamko.com or contact TAMKO for further information.

OF BEAUTY AND PERFORMANCE.



Spiced Teak¹

20-YEAF





provide outstanding strength and consistency

Four true, multi-shaded **color options**, designed with color highlights that emulate the textures and **natural**

color variations of real wood, further

Bonded outer layer adds strength for everyday life

enhance the natural beauty



TAMKO

Complement the look with colormatched EverGrain® Envision® Composite Deck Screws.

Compression molding allows for deep grain wood-like texture and more random

patterns for a more natural wood look

Compression process creates a **physical bond**

between the outer layer

and core board to help

prevent delamination



EverGrain® Envision® is available in grooved and square edge boards.



EverClip[™] hidden deck fasteners are the fast, easy and secure way to install EverGrain® Envision® grooved boards.

Rustic Walnut

THE DEEP GRAIN BEAUTY IS AS ATTRACTIVE AS EVER.

EverGrain® Composite Decking has earned the admiration of homeowners for the characteristic deep grain beauty¹ and low maintenance² it provides. Compression molding is what makes the EverGrain difference, creating a strong board with outstanding performance and consistency—while enabling the use of more patterns for more random wood beauty. EverGrain decking requires no staining or painting and comes with a 20-year Limited Warranty², including a 5-year Full Start Period.

- ¹ Before making your purchase, view several full-length boards. Representation of these colors is as accurate as modern technology will permit. As with any composite product, color variations will occur. View several full-length pieces of material prior to final color selection and installation. Colors will usually weather to a lighter shade within the first several months of exposure to the environment.
- 2 To obtain a copy of the most current version of this brochure, the care and cleaning instructions for details on required maintenance, the Limited Warranty and/or the product installation instructions, visit tamko.com or call 1-800-641-4691.
- ³ Colors may vary. Certain colors and products may not be available in your area. Please reference TAMKO's color chart, visit us online at tamko.com or contact TAMKO for further information.



Available Colors³









Complement the look with color-matched EverGrain® Composite Deck Screws.



EverGrain® is available in grooved and square edge boards.



EverClip[™] hidden deck fasteners are the fast, easy and secure way to install EverGrain[®] grooved boards.





THREE STRONG LAYERS, ONE EASY CHOICE.

Tam-Rail® is a patented triple-layer railing system, adding code-approved¹ strength and striking beauty to decks, porches and stairs—with no metal inserts in the 6- and 8-foot sections? The system is ideal both for residential and multifamily applications, and two different post-mount options are available to accommodate either wood or concrete installations. Convenient kit packaging helps to facilitate quick and easy installation. The Tam-Rail system 5-YEAR
FULL START PERIOD comes with a 25-year Limited Warranty³, including a 5-year

¹Building code approved: ATI CCRR #0118.

Full Start Period.

²The 10-foot sections require a metal insert.

³ To obtain a copy of the most current version of this brochure, the care and cleaning instructions for details on required maintenance, the Limited Warranty and/or the product installation instructions, visit tamko.com or call 1-800-641-4691.

White







Railing Color

Convenient kit packaging helps make the Tam-Rail system easier to install.





TAMKO for further information.

CAP OFF THE BEAUTY WITH SOMETHING DISTINCT.

ColorCast™ Post Caps and Post Rings provide the perfect finishing touch to the Tam-Rail® railing system. Available in five stunning colors¹, as well as solar options that add even more drama, these accent pieces offer personalized options for any outdoor living space. ColorCast comes with a 20-year Limited Warranty on the post caps and post rings and 2-YEAR

a 2-year Limited Warranty on the solar unit². ¹ Colors may vary. Certain colors and products may not be available in your area. Please reference TAMKO's color chart, visit us online at tamko.com or contact

² To obtain a copy of the most current version of this brochure, the care and cleaning instructions for details on required maintenance, the Limited Warranty and/or the product installation instructions, visit tamko.com or call 1-800-641-4691.







Bronze

Post Cap & Ring Colors¹



COLORCAST" SOLAR POST CAPS, POST CAPS




















MANUFACTURING AND WAREHOUSE FACILITIES



RESOURCES TO HELP YOU COMPLETE THE SALE



TAMKO® is dedicated to providing the tools you need for your sales efforts. From our StyleSelect™ Color & Style Selector to our iPad apps, and from our Limited Warranty Calculator to traditional print materials, our resources will help you effectively present and show value throughout the entire sales process.

Call your sales representative to discover more ways TAMKO is dedicated to supporting your sales efforts.

CORPORATE OFFICE

TAMKO Building Products, Inc. P.O. Box 1404 Joplin, MO 64802-1404 800-641-4691 417-624-6644 FAX 800-841-1925

SALES OFFICES

CENTRAL DISTRICT Missouri: 417-624-6644 220 West 4th Street Joplin, MO 64801 800-641-4691 FAX 800-760-7954

NORTHEAST DISTRICT Maryland: 301-694-7611 4500 Tamko Drive Frederick, MD 21703

800-368-2055 FAX 301-874-2061

SOUTHEAST DISTRICT Alabama: 205-759-5741

2300 35th Street Tuscaloosa, AL 35401 800-228-2656 FAX 205-349-2049

SOUTHWEST DISTRICT

Texas: 214-371-0813 7910 South Central Expressway Dallas, TX 75216 800-443-1834 FAX 214-372-9838

WESTERN DISTRICT Colorado: 303-377-8868 5300 East 43rd Avenue Denver, CO 80216 800-530-8868 FAX 303-377-0520

DISTRIBUTION WAREHOUSES

Arizona: 623-915-4457 5045 West Colter Street Glendale, AZ 85301-7012 FAX 623-915-4302

Colorado: 303-377-8868 5300 East 43rd Avenue Denver, CO 80216 800-530-8868 FAX 303-377-0520

Florida: 561-515-8150 5 Cheney Way Riviera Beach, FL 33404 FAX 561-863-0971

Florida: 813-628-0461 5010 Hanna Avenue East Tampa, FL 33610 800-241-2462 FAX 813-628-4412

Georgia: 404-768-5474 2115 Sylvan Road East Point, GA 30344 FAX 404-768-7011

Illinois: 708-728-1207 7720 West 60th Place Summit, IL 60501 FAX 708-728-1464

Missouri: 636-343-6522 425 North Highway Drive Fenton, MO 63026 FAX 636-343-8046

Missouri: 816-474-4414 1445 Taney Street North Kansas City, MO 64116 FAX 816-842-6981 Nebraska: 402-451-8415 6101 North 16th Street Omaha, NE 68110 FAX 402-451-6371

New Mexico: 505-842-6563 1414 12th Street NW Albuquerque, NM 87104 FAX 505-248-0087

Oklahoma: 918-664-6644 4268 South 74th East Avenue Tulsa, OK 74145 800-872-9338 FAX 918-664-1719

South Carolina: 803-328-2216 150 Mount Gallant Road Rock Hill, SC 29730 FAX 803-328-2247

Utah: 801-908-7724 1822 South 4130 West Salt Lake City, UT 84104 888-888-4011 FAX 801-908-0738

Information included in this brochure was current at the time of printing. To obtain a copy of the most current version of this brochure, visit us online at tamko.com or call us at 1-800-641-4691.

Front cover roof color is Weathered Wood.

©2015 TAMKO Building Products, Inc. TAMKO, Heritage, MetalWorks, StoneCrest, AstonWood, America's Natural Colors, Vintage, Woodgate, Elite Glass-Seal, CoolRidge, Moisture Guard Plus, TAM-PRO, Tam-Shield, EverGrain, Envision, Marquee Railing, Tam-Rail and TW Flash-N-Wrap are registered trademarks and EverClip, TAMKO Complete, ColorCast, StyleSelect, SuperX and QuickVent are trademarks of TAMKO Building Products, Inc.

Roll Vent, Xtractor Vent and Rapid Ridge are registered trademarks of Benjamin Obdyke Incorporated. ENERGY STAR is a registered trademark of the U.S. Government.

Apple, the Apple logo, and iPad are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc.

37 70240 0215